



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

| | |
|----------------------|--|
| LISTING No.: | 8140-2379:0002 |
| CATEGORY: | 8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I) |
| LISTEE: | The Millboard Company Ltd. Millboard, Ryton Lodge, Oxford Road, Ryton on Dunsmore NR, Coventry, CV8 3EJ, UK Contact: Holmes, Stefan 00442476439943 Email: stefan.holmes@millboard.co.uk |
| DESIGN: | <p>Millboard Envello, Board & Batten+, and Shadow Line+ siding board profiles are made of a resin material composite, sized nominally 1" x 8" or 3/4" x 8", tongue and groove profile boards, for horizontal or vertical installation.</p> <p>Wall assembly consists of siding boards, installed horizontally or vertically, on a wall consisting of 2" x 4" studs 16" O.C., 7/16" exterior OSB sheathing, 5/8" Type X gypsum stapled with Housewrap with Slicker Classic Rainscreen or HydroGap Drainable Housewrap. Wall assembly may also include Envello Décor aluminum trim for decorative purposes installed at the cladding joints.</p> <p>Refer to manufacturer's installation instructions and product data sheets.</p> |
| RATING: | SFM 12-7A-1 |
| INSTALLATION: | In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction. |
| MARKING: | Listee's name, model number, rating, and SFM label. |
| APPROVAL: | Listed as an exterior siding assembly for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details. |
| NOTES: | Test Protocol SFM 12-7A-1 |

10-17-24 MH



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

Date Issued: 06/23/2025

Listing Expires: 06/30/2026

Authorized By: **Michael Huang**, Program Coordinator
Fire Engineering & Investigations Division